



# MATERIAL SAFETY DATA SHEET

## SECTION I: IDENTIFICATION OF PRODUCT

**PRODUCT NAME:** Foam Check

**PRODUCT USE:** Drilling Fluid additive **CAS NO.** N/A

**CHEMICAL FAMILY:** Water Soluble Glycol and Selected Solid Particles

### WORK PLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

**WHMIS CLASSIFICATION:** Not a Controlled Product Under WHMIS.

**WORK PLACE HAZARD:** N/A

### TRANSPORTATION OF DANGEROUS GOODS (TDG)

**SHIPPING NAME:** Foam Check

**TDG CLASSIFICATION:** N/A

**UN NUMBER (PIN):** N/A

**PACKING GROUP:** N/A

## SECTION II: HAZARDOUS INGREDIENTS

<u>INGREDIENT</u>	<u>PERCENT</u>	<u>CAS NUMBER</u>	<u>LD<sub>(50)</sub> Oral-Rat</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
No Hazardous Ingredients					

## SECTION III: TOXICOLOGICAL PROPERTIES

**ROUTE OF ENTRY:**  SKIN  EYE CONTACT  INHALATION  INGESTION

**EYE CONTACT :** May cause irritation to the eyes.

**SKIN CONTACT:** May cause irritation to the Skin.

## SECTION IV: FIRST AID MEASURES

**SKIN CONTACT:** Essentially non-irritating to skin. Wash skin with soap and water.

**EYE CONTACT:** Corneal Injury is unlikely. If splashed into the eyes, flush with clear water for 5 minutes or until irritation subsides. If irritation persists, call a physician.

**INGESTION:** Single oral toxicity is considered to be low



# MATERIAL SAFETY DATA SHEET

**INHALATION:** Single exposure is not likely to be hazardous.

## SECTION V: PHYSICAL DATA

**APPEARANCE AND ODOUR:** Viscous Liquid, Slight Odour

**SPECIFIC GRAVITY:** 1.050-1.130 @ 25°C

**BOILING POINT (°C):** Decomposes at elevated temperatures

**MELTING POINT (°C):** N/A

**pH:** 8.0

**SOLUBILITY IN WATER:** Slightly to completely

## SECTION VI: FIRE AND EXPLOSION HAZARD DATA

**FLASH POINT:** 430°F, 221°C

**FLAMMABLE LIMITS:** N/A

**EXTINGUISHING MEDIA:** Water, Fog, CO<sub>2</sub>, Dry Chemical

**SPECIAL FIRE FIGHTING PROCEDURES:** N/A

**UNUSUAL FIRE AND EXPLOSION HAARDS:** Will support combustion. Do not breathe smoke.

## SECTION VII: REACTIVITY DATA

STABILITY:	Stable [XX]	Unstable [ ]
<b>INCOMPATIBILITY (CONDITIONS TO AVOID):</b>	Oxidizing materials and strong acids.	
<b>CONDITIONS OF REACTIVITY:</b>	N/A	
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>	N/A	
<b>HAZARDOUS POLYMERIZATION:</b>	Will Not Occur [ XX]	May Occur [ ]

## VIII: PREVENTIVE MEASURES

### SPECIAL PROTECTION INFORMATION

**RESPIRATORY PROTECTION:** None Required For Normal Operations

**VENTILATION:** Normal Room ventilation.



# MATERIAL SAFETY DATA SHEET

**PROTECTIVE GLOVES:** Solvent Resistant Rubber Gloves Should Be Worn.

**EYE PROTECTION:** Splash Goggles Should Be Worn.

## PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

None Applicable

## STEPS TO BE TAKEN IN CASE THE MATERIAL IS SPILLED OR RELEASED

Sweep up spilled materials. Flush infected area with water. Slipping hazard.

## **WASTE DISPOSAL METHOD**

Dispose of in accordance with federal, provincial and local regulations. It is the responsibility of the user to determine if contaminated material meets hazardous waste requirements.

---

## **SECTION IX: PREPARATION**

THE INFORMATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH, BUT NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE.

<b>DATE PRINTED:</b>	<b>March 28, 2007</b>	<b>BY:</b>	<b>MILLENNIUM TECHNOLOGIES LTD.</b>
<b>DATE MODIFIED:</b>	<b>February 2007</b>	<b>APPROVED BY:</b>	
<b>SUPERSEDES:</b>	<b>May 2004</b>		
<b>24 HOUR PHONE:</b>	<b>403-252-5904</b>		